

SPECIALE **LED**

compolux

RIVISTA INTERNAZIONALE DEI COMPONENTI E ACCESSORI
PER L'INDUSTRIA DELL'ILLUMINAZIONE

INTERNATIONAL MAGAZINE ON COMPONENTS AND ACCESSORIES
FOR THE LIGHTING INDUSTRY

+ **compo**
utile

N. 187 Maggio/Giugno 2016 - sped. in A.P. 70% / Milano

micron  **nect**


The new slim connector.
Only **14 mm** in diameter. IP68.

MADE IN ITALY

www.techno.it



 **techno**
TECHNOLOGY & INNOVATION




ALADIN IP 65 WITH A HIGH EFFICIENCY LED


Design, technology in an outdoor-devised light

Buzzi & Buzzi presents Aladin IP65, a recessed and totally disappearing outdoor lighting device with a high efficiency LED, characterized by an exclusive technology. A luminaire with a minimal and clean design, that perfectly integrates in the environment where it is installed in, enhancing the architectures: the product disappears, inserting itself inside the developed space and emphasizing the role of light, which becomes the undisputed protagonist of a well-defined lighting path. Elegance and technology merge to create a product that, thanks to the IP65 protection level, guarantees a maximum resistance in outdoor environments, even with high humidity levels. The performances of Aladin IP65 are even more highlighted by its production material: Coral Waterout®, created by Buzzi & Buzzi and tested by the Giordano Institute. It combines a total water-repellency to the typical characteristi-

cs of Coral®; the water-repellent effect remains unaltered over time as it is not a surface finish but an intrinsic feature of Coral Water Out®. Without the need of any maintenance, Coral Water Out® adds impermeability to the classic characteristics of Coral® — beauty, resistance and duration. A new material suitable for totally disappearing settings, designed to allow an easy maintenance even when installed. Glasses can be dismantled and transformers or power supplies can be extracted from the light holes, as well as implemented by plasterboard installers, in a simple and intuitive way.



Technical features:
Recessed and totally disappearing luminaire. Installation into plasterboard or brick ceiling/walls. Body in Coral WaterOut®, Light beam angle 90°. Glass diffuser with 4 polycarbonate screws of the same colour of the glass. Supplied with IP65 driver. LED colour white 3000 K. Max Watt 1x10 W 500 mA.




ALADIN IP65, LED AD ALTISSIMA EFFICIENZA PER L'OUTDOOR

Buzzi & Buzzi ha presentato Aladin IP65, un apparecchio da esterni a incasso a scomparsa totale fornito di LED ad altissima efficienza e caratterizzato da una tecnologia esclusiva. Un apparecchio dal design pulito e minimale, che si integra alla perfezione nell'ambiente in cui viene installato, per definire percorsi luminosi che disegnano le superfici ed esaltano gli spazi esterni: il prodotto scompare, inserendosi nelle pareti, indicando passaggi, suggerendo il cammino, creando atmosfere suggestive ed eleganti, grazie a una luce che diventa protagonista indiscussa di un sentiero luminoso ben definito. Eleganza e tecnologia si fondono per dare vita ad un prodotto che, grazie al grado di protezione IP65, garantisce una massima resistenza in ambienti esterni e caratterizzati da un alto livello di umidità. Le performance di Aladin IP65 sono inoltre enfatizzate dal materiale con cui è realizzato: Coral WaterOut®, materiale ideato da Buzzi & Buzzi e testato dall'Istituto Giordano, che unisce una totale idrorepellenza alle caratteristiche tipiche del

Coral®. Questa proprietà rimane inalterata nel tempo in quanto non è una finitura superficiale ma una caratteristica intrinseca del Coral WaterOut® stesso. Un nuovo materiale adatto per gli incassi a scomparsa totale, che sono pensati per permettere un'agevole manutenzione anche da installati. Lo smontaggio dei vetri e l'estrazione dei trasformatori o degli alimentatori dai fori della luce è semplice ed intuitivo, così come la messa in opera da parte del cartongessista.

Caratteristiche tecniche:

- Incasso a scomparsa totale
- Installazione a parete-soffitto di cartongesso o laterizio
- Corpo in Coral WaterOut®
- Inclinazione del fascio luminoso 90°
- Fornito completo di driver
- Foro di emissione luce 100x100 mm
- Colore del LED bianco 3000 K
- Max Watt 1x10 W 500 mA



Speciale LED 57 MDCCCLXXXV