


PASSÉ IP65



Passé IP65



OTHER AVAILABLE CODES

1508.27.DC	<i>lens</i>	70°
	<i>light colour</i>	2700K

TECHNICAL FEATURES

Code	1508.DC
Type	Wall-washer
Material	DC: DurCoral®
Weight	2.5 Kg
Mounting	Wall and ceiling recessed
IP rating	IP65
Insulation class	III
Control gear	Constant current electronic driver (not included)
Cut out for plasterboard	140 × 260 mm
Lamp type	LED 500 mA
	Vf: 9.3 VDC
Lamp wattage	1 × 5W
Luminous efficacy	1 × 117 lm/W - 3000K
Light distribution	Wide beam 70°
Fitting	-
Light colour	White 3000K
Light hole	80 × 130 mm
Voltage connection	By driver (optional)
CRI	90
Emergency	-
Energy efficiency class	A++
Note	Other available light colours: 2700K, 4000K (on request).

OPTIONAL

ON/OFF driver	cod. H8067IP
---------------	--------------

For further info and other available drivers please see page 474

SCOMPARSA TOTALE PER L'ESTERNO;
INERTE ALLA SALINITÀ
FULLY CONCEALED FOR OUTDOORS;
INERT TO SALINITY

Private Villa, Pavia | ASZ Architetti | ph. Thomas Pagani

Private Villa, Pavia | ASZ Architetti | ph. Thomas Pagani



450	MINIVIRTUS IP65
468	MOND IP65
448	NUSS IP65
464	THE BOLLARD IP65
458	UNDERLINE IP68
462	UNDERSCORE IP68
454	VIRTUS IP65