



ITEM ONE

ROSONE UNIVERSALE
PER LAMPADE A SOSPENSIONE
DI QUALSIASI MARCA E MODELLO

UNIVERSAL CEILING ROSE
FOR SUSPENSION LAMPS
OF ANY MODEL AND BRAND



Item One
universal canopy



TECHNICAL FEATURES

Code	6212.AC
Type	Optional for suspension lamp AC: AirCoral®
Material	0.9 Kg
Absorption capacity*	2.52 m²
Mounting	Ceiling recessed
IP rating	-
Insulation class	-
Control gear	-
Cut out for plasterboard	Ø 160 mm
Lamp type	-
Lamp wattage	-
Luminous efficacy	-
Light distribution	-
Fitting	-
Light colour	-
	Ø 90 mm
Voltage connection	-
CRI	-
Emergency	-
Energy efficiency class	-
Note	Box for the installation of suspension lamp. Suitable for any lamps up to 8 Kg. Recessed box of total disappearance for LED driver.

Technology and versatility: Item One is the new total recessed body made of AirCoral® and installable on plasterboard or brick ceilings. **It is suitable for sustaining suspended lamps of any types and brands having a maximum range of 8 Kg in relation to the kind of ceiling.** Item One permits to substitute traditional rosettes and visible cases, integrating the driver and the power chargers within the false ceiling. This guarantees a formal effect of elegance in the surrounding environment.

* The absorption capacity per m² calculated by the American organization TCNA (Tile Council of North America) is measured for an average room of 2.7 m in height and therefore expressed in m²

Villa Bogogno Golf Resort, Novara | Negri Illuminazione | ph. Le Michette Creative Studio

Recessed Recessed Recessed Recessed Recessed Recessed Recessed Recessed Recessed Recessed

440	ALADIN IP65
432	BLADE IP65
412	GENIUS BASIC IP65
414	GENIUS BASIC NAKED IP65
404	GENIUS CONCRETE IP65
402	GENIUS CURVE IP65
394	GENIUS IP65
408	GENIUS NAKED IP65
398	GENIUSQUARE IP65
426	IDROROUND IP65
422	IDROUT IP65
420	INVISILED IP44/IP65
430	ORIS IP65
442	PASSÉ IP65
438	PHANTOM IP44/IP65
418	PIXEL IP65